



Vented Arrestors Part Matrix

VA	↑↑↑	↑↑↑	↑	↑↑↑	↑↑↑	↑	↑	↑	Cell Size
XX									Example: 10 = 10" Minimum Size Increment 2"
									Size of Inlet Connection
									Example: 10 = 10" Minimum Size Increment 2"
									Housing Material
									Carbon Steel
									Aluminum
									Inlet Connection Style
									Threaded
									Slip on Flange
									Raised Face Flange
									Body Height
									12" Default for One-Piece Body
									Cell Material
									Aluminum
									Stainless Steel 304
									Stainless Steel 316
									Special Options
									Standard
									Special Option

BelGAS^{FM} Flame arrestors are critical safety devices and a component in the safe operation of vapor control systems. Preventing the propagation of flame from the exposed side of the unit to the protected side by employing the use of corrugated metal creating multiple channels called a flame cell or element. Improving on a time-tested technology, BelGAS^{FM} flame arrestors operate on a same principle: remove heat from the flame as it attempts to travel through narrow passages with walls of metal or other heat-conductive material and protecting critical components further in the process.

- Provides Operator Safety
- Passive devices with no moving parts – Less wear
- Multiple sizes, housing material and cell material options

Venter Arrestors Dimensions

Model	A	B	C	D
10 – 02	10	14	16.25	2
10 – 03	12	14	16.25	3
12 – 06	14	16	18.25	6
16 – 10	16	18	18.25	10
18 – 12	18	22	20.25	12

Dimension (D) allows a tolerance of ± 0.25 (6.35 mm). Dimensions subject to change depending on materials used. Custom dimensions available upon request. All changes to standard units are subject to price change.

